

Author index to volume 279

- Abe, J., see Ishibashi, K. 279 (1997) 107
- Ahmed, S.M., see Kanik, I. 279 (1997) 297
- Alpert, B., see Haouz, A. 279 (1997) 79
- Amos, R.D., see Ioannou, A.G. 279 (1997) 17
- Andersson, M.B., see Andersson, P.U. 279 (1997) 100
- Andersson, P.U., A. Tomsic, M.B. Andersson and J.B.C. Pettersson, Emission of small fragments during water cluster collisions with a graphite surface 279 (1997) 100
- Andersson, S., see Brühwiler, P.A. 279 (1997) 85
- Andersson, S., see Frank, M. 279 (1997) 92
- Annaji Rao, K., see Pushpa, K.K. 279 (1997) 172
- Arvanitis, D., see Brühwiler, P.A. 279 (1997) 85
- Bahloul, K., M. Irac-Astaud, E. Ilisca and P.L. Chapovsky, Magnetic field effect in CH_3F nuclear spin conversion 279 (1997) 29
- Balasubramanian, K., see Majumdar, D. 279 (1997) 403
- Baltzer, P., see Brühwiler, P.A. 279 (1997) 85
- Bando, Y., see Golberg, D. 279 (1997) 191
- Barbosa, A.G.H. and M.A.C. Nascimento, Transition energies and optical oscillator strengths for inner-shell excitations of a quark nitrogen molecule 279 (1997) 119
- Bauer, S.H. and C.F. Wilcox, On malonaldehyde and acetylacetone: are theory and experiment compatible? 279 (1997) 122
- Bäumer, M., see Frank, M. 279 (1997) 92
- Becker, U., see Liebsch, T. 279 (1997) 197
- Beegle, L., see Kanik, I. 279 (1997) 297
- Beljonne, D., Z. Shuai, L. Serrano-Andrés and J.L. Brédas, The dominant one- and two-photon excited states in the nonlinear optical response of octatetraene: ab initio versus semiempirical theoretical descriptions 279 (1997) 1
- Benzler, J. and K. Luther, Rotational relaxation of biphenyl and *p*-terphenyl in *n*-alkanes: the breakdown of the hydrodynamic description 279 (1997) 333
- Berho, F. and R. Lesclaux, The phenoxy radical: UV spectrum and kinetics of gas-phase reactions with itself and with oxygen 279 (1997) 289
- Berry, K.R. and M.A. Duncan, Photoionization spectroscopy of LiMg 279 (1997) 44
- Bertault, M., see Even, J. 279 (1997) 319
- Bonačić-Koutecký, V., see Reichardt, D. 279 (1997) 129
- Borthwick, I., see Sulkes, M. 279 (1997) 315
- Brédas, J.L., see Beljonne, D. 279 (1997) 1
- Brena, B., see Frank, M. 279 (1997) 92
- Breskin, A., see Martin, J.M.L. 279 (1997) 389

Author index to volume 279

- Abe, J., see Ishibashi, K. 279 (1997) 107
Ahmed, S.M., see Kanik, I. 279 (1997) 297
Alpert, B., see Haouz, A. 279 (1997) 79
Amos, R.D., see Ioannou, A.G. 279 (1997) 17
Andersson, M.B., see Andersson, P.U. 279 (1997) 100
Andersson, P.U., A. Tomsic, M.B. Andersson and J.B.C. Pettersson, Emission of small fragments during water cluster collisions with a graphite surface 279 (1997) 100
Andersson, S., see Brühwiler, P.A. 279 (1997) 85
Andersson, S., see Frank, M. 279 (1997) 92
Annaji Rao, K., see Pushpa, K.K. 279 (1997) 172
Arvanitis, D., see Brühwiler, P.A. 279 (1997) 85

Bahloul, K., M. Irac-Astaud, E. Ilisca and P.L. Chapovsky, Magnetic field effect in CH_3F nuclear spin conversion 279 (1997) 29
Balasubramanian, K., see Majumdar, D. 279 (1997) 403
Baltzer, P., see Brühwiler, P.A. 279 (1997) 85
Bando, Y., see Golberg, D. 279 (1997) 191
Barbosa, A.G.H. and M.A.C. Nascimento, Transition energies and optical oscillator strengths for inner-shell excitations of a quark nitrogen molecule 279 (1997) 119
Bauer, S.H. and C.F. Wilcox, On malonaldehyde and acetylacetone: are theory and experiment compatible? 279 (1997) 122
Bäumer, M., see Frank, M. 279 (1997) 92
Becker, U., see Liebsch, T. 279 (1997) 197
Beegle, L., see Kanik, I. 279 (1997) 297
Beljonne, D., Z. Shuai, L. Serrano-Andrés and J.L. Brédas, The dominant one- and two-photon excited states in the nonlinear optical response of octatetraene: ab initio versus semiempirical theoretical descriptions 279 (1997) 1
Benzler, J. and K. Luther, Rotational relaxation of biphenyl and *p*-terphenyl in *n*-alkanes: the breakdown of the hydrodynamic description 279 (1997) 333
Berho, F. and R. Lesclaux, The phenoxy radical: UV spectrum and kinetics of gas-phase reactions with itself and with oxygen 279 (1997) 289
Berry, K.R. and M.A. Duncan, Photoionization spectroscopy of LiMg 279 (1997) 44
Bertault, M., see Even, J. 279 (1997) 319
Bonačić-Koutecký, V., see Reichardt, D. 279 (1997) 129
Borthwick, I., see Sulkes, M. 279 (1997) 315
Brédas, J.L., see Beljonne, D. 279 (1997) 1
Brena, B., see Frank, M. 279 (1997) 92
Breskin, A., see Martin, J.M.L. 279 (1997) 389

- Briggs, J.S., see Grossmann, F. 279 (1997) 355
- Brühwiler, P.A., A.J. Maxwell, P. Baltzer, S. Andersson, D. Arvanitis, L. Karlsson and N. Mårtensson, Vibronic coupling in the photoemission bands of condensed C₆₀ 279 (1997) 85
- Brühwiler, P.A., see Frank, M. 279 (1997) 92
- Bryce, R.A., R. Buesnel, I.H. Hillier and N.A. Burton, A solvation model using a hybrid quantum mechanical/molecular mechanical potential with fluctuating solvent charges 279 (1997) 367
- Budyka, M.F., O.D. Laukhina and V.F. Razumov, Evidence for an adiabatic reaction pathway for trans-to-cis photoisomerization of di(α-naphthyl)ethylene 279 (1997) 327
- Buesnel, R., see Bryce, R.A. 279 (1997) 367
- Burton, N.A., see Bryce, R.A. 279 (1997) 367
- Cahen, D., see Cohen, R. 279 (1997) 270
- Chapovsky, P.L., see Bahloul, K. 279 (1997) 29
- Chattopadhyay, N., M. Van der Auweraer and F.C. De Schryver, Determination of the nature of the lowest triplet state of the intramolecular charge-transfer probes DMABN and DMABA by laser-induced optoacoustic spectroscopy 279 (1997) 303
- Chechik, R., see Martin, J.M.L. 279 (1997) 389
- Chen, G.-Z., see Du, X.-Z. 279 (1997) 411
- Chen, J., T.H. Wong and P.D. Kleiber, Photofragmentation spectroscopy of MgC₂H₄⁺ 279 (1997) 185
- Chen, R. and H. Guo, Calculation of matrix elements in filter diagonalization: a generalized method based on Fourier transform 279 (1997) 252
- Chergui, M., see Jeannin, C. 279 (1997) 65
- Claessens, C.G., see Laitenberger, P. 279 (1997) 209
- Cohen, R., N. Zenou, D. Cahen and S. Yitzchaik, Molecular electronic tuning of Si surfaces 279 (1997) 270
- Côté, R. and A. Dalgarno, Mechanism for the production of vibrationally excited ultracold molecules of ⁷Li₂ 279 (1997) 50
- Cremer, D., see Kraka, E. 279 (1997) 9
- Custodio, R., see Giordan, M. 279 (1997) 396
- Dalgarno, A., see Côté, R. 279 (1997) 50
- Délugeard, Y., see Even, J. 279 (1997) 319
- De Schryver, F.C., see Chattopadhyay, N. 279 (1997) 303
- Deson, J., see Lalo, C. 279 (1997) 230
- Deumens, E., see Hedström, M. 279 (1997) 241
- Dietel, E., see Pietzak, B. 279 (1997) 259
- Drexhage, K.H., see Müller, R. 279 (1997) 282
- Du, X.-Z., Y.-B. Jiang, L.-R. Lin, X.-Z. Huang and G.-Z. Chen, Phosphorescence-probed study on the association of surfactants with β-cyclodextrin [Chem. Phys. Letters 268 (1997) 31] 279 (1997) 411
- Duncan, M.A., see Berry, K.R. 279 (1997) 44
- Duncan, M.A., see Reddic, J.E. 279 (1997) 203
- Eremets, M., see Golberg, D. 279 (1997) 191
- Even, J., M. Bertault, J. Gallier, A. Girard, Y. Délugeard and W.J. Kusto, Evidence of a lattice instability during the thermally enhanced reaction of MSE studied by calorimetry, ¹³C-NMR, Raman scattering and birefringence 279 (1997) 319

- Fantucci, P., see Reichardt, D. 279 (1997) 129
 Fraissard, J., see Lalo, C. 279 (1997) 230
 Francisco, J.S., see Workman, M.A. 279 (1997) 158
 Frank, M., S. Andersson, J. Libuda, S. Stempel, A. Sandell, B. Brena, A. Giertz, P.A. Brühwiler, M. Bäumer, N. Mårtensson and H.-J. Freund, Particle size dependent CO dissociation on alumina-supported Rh: a model study 279 (1997) 92
 Freund, H.-J., see Frank, M. 279 (1997) 92
 Fritzsche, S., see Jost, S. 279 (1997) 385
 Fujishima, A., see Ishibashi, K. 279 (1997) 107
- Gallier, J., see Even, J. 279 (1997) 319
 Gédéon, A., see Lalo, C. 279 (1997) 230
 Giertz, A., see Frank, M. 279 (1997) 92
 Giordan, M., R. Custodio and N.H. Morgon, A universal basis set to be used along with pseudopotentials 279 (1997) 396
 Girard, A., see Even, J. 279 (1997) 319
 Golberg, D., Y. Bando, M. Eremets, K. Takemura, K. Kurashima, K. Tamiya and H. Yusa, Boron nitride nanotube growth defects and their annealing-out under electron irradiation 279 (1997) 191
 Gräfenstein, J., see Kraka, E. 279 (1997) 9
 Grossmann, F., V.A. Mandelshtam, H.S. Taylor and J.S. Briggs, Harmonic inversion of semiclassical short time signals 279 (1997) 355
 Gu, H., see Zhang, Y. 279 (1997) 264
 Guo, H., see Chen, R. 279 (1997) 252
- Haberlandt, R., see Jost, S. 279 (1997) 385
 Hall, N.E., see Smith, B.J. 279 (1997) 165
 Hanazaki, I., see Kaminaga, A. 279 (1997) 339
 Haouz, A., C. Zentz and B. Alpert, Water accessibility to tryptophan residues in horse apomyoglobin 279 (1997) 79
 Härle, H., K. Mendel, U. Metka, H.-R. Volpp, L. Willms and J. Wolfrum, Temperature dependence (90–440 K) of the vibrational spectra of CO adsorbed on platinum(111) studied by sum-frequency generation 279 (1997) 275
 Harris, R.A., see Salisbury Jr., F.R. 279 (1997) 247
 Hashimoto, K., see Ishibashi, K. 279 (1997) 107
 Head-Gordon, M., see Oumi, M. 279 (1997) 151
 Hedström, M., J.A. Morales, E. Deumens and Y. Öhrn, Electron nuclear dynamics of $H^+ + H_2O$ collisions 279 (1997) 241
 Hentges, R., see Liebsch, T. 279 (1997) 197
 Herten, D.P., see Müller, R. 279 (1997) 282
 Hillier, I.H., see Bryce, R.A. 279 (1997) 367
 Hirose, T., see Tsukuda, T. 279 (1997) 179
 Hirsch, A., see Pietzak, B. 279 (1997) 259
 Hodgson, A., see Murphy, M.J. 279 (1997) 112
 Höhne, M., see Pietzak, B. 279 (1997) 259
 Huang, X.-Z., see Du, X.-Z. 279 (1997) 411
 Huels, M.A., L. Parenteau and L. Sanche, Substrate sensitivity of dissociative electron attachment to physisorbed aniline 279 (1997) 223

- Iijima, S., see Zhang, Y. 279 (1997) 264
- Ilisca, E., see Bahloul, K. 279 (1997) 29
- Inokuchi, Y., K. Ohashi and N. Nishi, Infrared photodissociation spectroscopy of benzene trimer ions. Switching of the dimer ion core in vibrationally excited states 279 (1997) 73
- Ioannou, A.G. and R.D. Amos, Time-dependent density functional theory applied to Raman scattering from methane 279 (1997) 17
- Irac-Astaud, M., see Bahloul, K. 279 (1997) 29
- Ishibashi, K., T. Iyoda, K. Hashimoto, A. Fujishima, Y. Shirai and J. Abe, First-order hyperpolarizability of oligo-acene derivatives by hyper-Rayleigh scattering 279 (1997) 107
- Ito, F., see Nakanaga, T. 279 (1997) 309
- Iyoda, T., see Ishibashi, K. 279 (1997) 107
- Jang, J. and K.J. Shin, Extended diffusion theory of reorientation of symmetric top molecules with internal rotation: application to mesitylene 279 (1997) 344
- Jeannin, C., M.T. Portella-Oberli, F. Vigliotti and M. Chergui, Femtosecond transition state spectroscopy of solids: electronic 'bubble' formation in solid hydrogen 279 (1997) 65
- Jellinek, J., see Reichardt, D. 279 (1997) 129
- Jiang, Y.-B., see Du, X.-Z. 279 (1997) 411
- Jost, S., S. Fritzsche and R. Haberlandt, An MD study on the diffusion of a mixture of methane and xenon in silicalite 279 (1997) 385
- Kaminaga, A., Y. Mori and I. Hanazaki, Photo-induced excitability in the tris-(bipyridyl)Ru(II)-catalyzed Belousov-Zhabotinsky reaction 279 (1997) 339
- Kanada, T., see Ohta, N. 279 (1997) 215
- Kanik, I., L. Beegle, C. Noren, S.M. Ahmed and R. Link, Temperature-dependent photoabsorption cross section measurements of O₂ at the NI airglow and auroral emission lines 279 (1997) 297
- Karlsson, L., see Brühwiler, P.A. 279 (1997) 85
- Karlström, G., see Moriarty, N.W. 279 (1997) 372
- Kawamata, K., see Nakanaga, T. 279 (1997) 309
- Keir, R.I., D.W. Lamb, G.L.D. Ritchie and J.N. Watson, Polarizability anisotropies, magnetizability anisotropies and molecular quadrupole moments of acetylene, methylacetylene and dimethylacetylene 279 (1997) 22
- Kleiber, P.D., see Chen, J. 279 (1997) 185
- Kraka, E., C.P. Sosa, J. Gräfenstein and D. Cremer, Trimesitylsilylium cation verification of a free silylium cation in solution by NMR chemical shift calculations 279 (1997) 9
- Kuipers, L., see Laitenberger, P. 279 (1997) 209
- Kumar, A., see Pushpa, K.K. 279 (1997) 172
- Kurashima, K., see Golberg, D. 279 (1997) 191
- Kusto, W.J., see Even, J. 279 (1997) 319
- Laitenberger, P., C.G. Claessens, L. Kuipers, F.M. Raymo, R.E. Palmer and J.F. Stoddart, Building supramolecular nanostructures on surfaces: the influence of the substrate 279 (1997) 209
- Lalo, C., J. Deson, A. Gédéon and J. Fraissard, Laser-induced fluorescence of quinoline adsorbed on acidic zeolites 279 (1997) 230
- Lamb, D.W., see Keir, R.I. 279 (1997) 22
- Laukhina, O.D., see Budyka, M.F. 279 (1997) 327

- Lazzeretti, P. and R. Zanasi, On the calculation of parity-violating energies in hydrogen peroxide and hydrogen disulphide molecules within the random-phase approximation 279 (1997) 349
- Lee, T.J., see Oumi, M. 279 (1997) 151
- Ligon, A.C., Nature of complexes $B \cdots ClF$ in the gas phase: Conclusions from systematic variation of the Lewis base B and a comparison of the $B \cdots ClF/B \cdots HCl$ series. 279 (1997) 55
- Lesclaux, R., see Berho, F. 279 (1997) 289
- Libuda, J., see Frank, M. 279 (1997) 92
- Lieberwirth, U., see Müller, R. 279 (1997) 282
- Liesch, T., R. Hentges, A. Rüdel, J. Viehhaus, U. Becker and R. Schlögl, Evidence for oscillations in the C_{70} valence photoionization cross sections 279 (1997) 197
- Lin, L.-R., see Du, X.-Z. 279 (1997) 411
- Link, R., see Kanik, I. 279 (1997) 297
- Luther, K., see Benzler, J. 279 (1997) 333
- Magnier, S., M. Persico and N. Rahman, Quantum wavepacket dynamics simulations of above-threshold dissociation in Na_2^+ 279 (1997) 361
- Majumdar, D. and K. Balasubramanian, Theoretical study of the electronic states of Zr_5 279 (1997) 403
- Mandelstam, V.A., see Grossmann, F. 279 (1997) 355
- Mårtensson, N., see Brühwiler, P.A. 279 (1997) 85
- Mårtensson, N., see Frank, M. 279 (1997) 92
- Martin, J.M.L., A. Warshawsky, A. Breskin and R. Chechik, Designing low-ionization potential analogs of tetrakis-dimethylamino-ethylene using density functional calculations 279 (1997) 389
- Maurice, D., see Oumi, M. 279 (1997) 151
- Maxwell, A.J., see Brühwiler, P.A. 279 (1997) 85
- Mendel, K., see Härle, H. 279 (1997) 275
- Metka, U., see Härle, H. 279 (1997) 275
- Mittal, J.P., see Pushpa, K.K. 279 (1997) 172
- Morales, J.A., see Hedström, M. 279 (1997) 241
- Morgon, N.H., see Giordan, M. 279 (1997) 396
- Mori, Y., see Kaminaga, A. 279 (1997) 339
- Moriarty, N.W. and G. Karlström, Electric field gradient of a water molecule in water. A combined quantum chemical and statistical mechanical treatment 279 (1997) 372
- Müller, R., D.P. Herten, U. Lieberwirth, M. Neumann, M. Sauer, A. Schulz, S. Siebert, K.H. Drexhage and J. Wolfrum, Efficient DNA sequencing with a pulsed semiconductor laser and a new fluorescent dye set 279 (1997) 282
- Murphy, M.J., J.F. Skelly and A. Hodgson, Translational and vibrational energy release in nitrogen recombinative desorption from $Cu(111)$ 279 (1997) 112
- Murphy, T.A., see Pietzak, B. 279 (1997) 259
- Nagata, T., see Tsukuda, T. 279 (1997) 179
- Naik, P.D., see Pushpa, K.K. 279 (1997) 172
- Nakanaga, T., K. Kawamata and F. Ito, Infrared depletion spectroscopy of the aniline- H_2O^+ cluster cation 279 (1997) 309
- Nascimento, M.A.C., see Barbosa, A.G.H. 279 (1997) 119
- Neumann, M., see Müller, R. 279 (1997) 282
- Nishi, N., see Inokuchi, Y. 279 (1997) 73

- Nishimura, Y., see Ohta, N. 279 (1997) 215
- Noren, C., see Kanik, I. 279 (1997) 297
- Novoa, J.J., see Rovira, C. 279 (1997) 140
- Ohashi, K., see Inokuchi, Y. 279 (1997) 73
- Öhrn, Y., see Hedström, M. 279 (1997) 241
- Ohta, N., S. Umeuchi, T. Kanada, Y. Nishimura and I. Yamazaki, An enhancement of excimer formation rate of pyrene by an external electric field in a PMMA polymer film 279 (1997) 215
- Oumi, M., D. Maurice, T.J. Lee and M. Head-Gordon, A diagnostic for the applicability of the CIS and CIS(D) excitation energy methods 279 (1997) 151
- Palmer, R.E., see Laitenberger, P. 279 (1997) 209
- Parenteau, L., see Huels, M.A. 279 (1997) 223
- Parthasarathy, V., see Pushpa, K.K. 279 (1997) 172
- Persico, M., see Magnier, S. 279 (1997) 361
- Petterson, J.B.C., see Andersson, P.U. 279 (1997) 100
- Pietzak, B., M. Waiblinger, T.A. Murphy, A. Weidinger, M. Höhne, E. Dietel and A. Hirsch, Buckminsterfullerene C_{60} : a chemical Faraday cage for atomic nitrogen 279 (1997) 259
- Portella-Oberli, M.T., see Jeannin, C. 279 (1997) 65
- Pushpa, K.K., A. Kumar, P.D. Naik, K. Annaji Rao, V. Parthasarathy, S.K. Sarkar and J.P. Mittal, Visible luminescence studies in the infrared multiphoton dissociation of 1,2-dichloro-1,1-difluoroethane 279 (1997) 172
- Rahman, N., see Magnier, S. 279 (1997) 361
- Raymo, F.M., see Laitenberger, P. 279 (1997) 209
- Razumov, V.F., see Budyka, M.F. 279 (1997) 327
- Reddic, J.E., J.C. Robinson and M.A. Duncan, Growth and photodissociation of Ag_x-C_{60} cation complexes 279 (1997) 203
- Reichardt, D., V. Bonačić-Koutecký, P. Fantucci and J. Jellinek, Ab initio gradient corrected density functional molecular dynamics: investigation of structural and dynamical properties of the Li_8 cluster 279 (1997) 129
- Ritchie, G.L.D., see Keir, R.I. 279 (1997) 22
- Robinson, J.C., see Reddic, J.E. 279 (1997) 203
- Rovira, C. and J.J. Novoa, Strength and directionality of the $C(sp^3)-H \cdots S(sp^3)$ interaction. An ab initio study using the $H_2S \cdots CH_4$ model complex 279 (1997) 140
- Rüdel, A., see Liebsch, T. 279 (1997) 197
- Salsbury Jr., F.R. and R.A. Harris, Hydrogen chemical shieldings in small molecules: a magnetic field density functional approach 279 (1997) 247
- Sanche, L., see Huels, M.A. 279 (1997) 223
- Sandell, A., see Frank, M. 279 (1997) 92
- Sarkar, S.K., see Pushpa, K.K. 279 (1997) 172
- Sauer, M., see Müller, R. 279 (1997) 282
- Schlögl, R., see Liebsch, T. 279 (1997) 197
- Schulz, A., see Müller, R. 279 (1997) 282
- Serrano-Andrés, L., see Beljonne, D. 279 (1997) 1
- Shin, K.J., see Jang, J. 279 (1997) 344
- Shirai, Y., see Ishibashi, K. 279 (1997) 107

- Shuai, Z., see Beljonne, D. 279 (1997) 1
Siebert, S., see Müller, R. 279 (1997) 282
Siebrand, W., M.Z. Zgierski and Z.K. Smedarchina, Proton transfer and solvent reorganization in organic clusters. A theoretical study 279 (1997) 377
Skelly, J.F., see Murphy, M.J. 279 (1997) 112
Smedarchina, Z.K., see Siebrand, W. 279 (1997) 377
Smith, B.J. and N.E. Hall, G2(MP2,SVP) study of the relationship between the benzyl and tropyli radicals, and their cation analogues 279 (1997) 165
Sosa, C.P., see Kraka, E. 279 (1997) 9
Stempel, S., see Frank, M. 279 (1997) 92
Stoddart, J.F., see Laitenberger, P. 279 (1997) 209
Suenaga, K., see Zhang, Y. 279 (1997) 264
Sulkes, M. and I. Borthwick, Enhanced photophysical effects in indole due to C-6 chemical group substitutions 279 (1997) 315
Šurkus, A., Reduction of spectra to parameters of an effective diatomic Hamiltonian containing the generalized potential-energy function with correct long-range part. Application to ArH^+ in the ground electronic state 279 (1997) 236

Takemura, K., see Golberg, D. 279 (1997) 191
Tamiya, K., see Golberg, D. 279 (1997) 191
Taylor, H.S., see Grossmann, F. 279 (1997) 355
Tomsic, A., see Andersson, P.U. 279 (1997) 100
Tsukuda, T., T. Hirose and T. Nagata, Negative-ion photoelectron spectroscopy of $(\text{CS}_2)_n^-$: coexistence of electronic isomers 279 (1997) 179

Umeuchi, S., see Ohta, N. 279 (1997) 215

Van der Auweraer, M., see Chattopadhyay, N. 279 (1997) 303
Viefhaus, J., see Liebsch, T. 279 (1997) 197
Vigliotti, F., see Jeannin, C. 279 (1997) 65
Volpp, H.-R., see Härle, H. 279 (1997) 275

Waiblinger, M., see Pietzak, B. 279 (1997) 259
Wan, J., see Zhan, C.-G. 279 (1997) 35
Warszawsky, A., see Martin, J.M.L. 279 (1997) 389
Watson, J.N., see Keir, R.I. 279 (1997) 22
Weidinger, A., see Pietzak, B. 279 (1997) 259
Wilcox, C.F., see Bauer, S.H. 279 (1997) 122
Willms, L., see Härle, H. 279 (1997) 275
Wolfrum, J., see Härle, H. 279 (1997) 275
Wolfrum, J., see Müller, R. 279 (1997) 282
Wong, T.H., see Chen, J. 279 (1997) 185
Workman, M.A. and J.S. Francisco, Molecular structure and energetics of sym-CIO_3 279 (1997) 158

Yamazaki, I., see Ohta, N. 279 (1997) 215
Yitzchaik, S., see Cohen, R. 279 (1997) 270
Yusa, H., see Golberg, D. 279 (1997) 191

- Zanasi, R., see Lazzeretti, P. 279 (1997) 349
- Zenou, N., see Cohen, R. 279 (1997) 270
- Zentz, C., see Haouz, A. 279 (1997) 79
- Zgierski, M.Z., see Siebrand, W. 279 (1997) 377
- Zhan, C.-G. and J. Wan, Generalized semiempirical relationship for calculating nuclear spin-spin coupling constants between directly bonded atoms 279 (1997) 35
- Zhang, Y., H. Gu, K. Suenaga and S. Iijima, Heterogeneous growth of B-C-N nanotubes by laser ablation 279 (1997) 264